In This Issue

Disease forecasting updates – Blitecast DSVs exceeding threshold of 18 in several locations Late blight updates

Calendar of Events

 $\begin{array}{l} \textbf{July 15}-\textbf{UW-Hancock ARS Field Day, 1:00PM, Hancock, WI} \\ \textbf{July 17}-\textbf{Rhinelander State Farm Field Day, Lelah Starks Elite Found. Seed Farm, Rhinelander, WI} \end{array}$

August 20 – UWEX Langlade County Airport Field Day, Antigo, WI

August 25-27 - Wisconsin Farm Technology Days, Statz Bros., Inc. Farm, Sun Prairie, WI

Amanda J. Gevens, Assistant Professor & Extension Vegetable Plant Pathologist, UW-Madison, Dept. of Plant Pathology, 608-890-3072 (office), Email: gevens@wisc.edu. Veg Pathology Webpage: http://www.plantpath.wisc.edu/wivegdis/.

Current P-Day (Early Blight) and Severity Value (Late Blight) Accumulations (R.V. James, UW-Plant Pathology/R.V. James Designs): A P-Day value of ≥ 300 indicates the threshold for early blight risk and triggers preventative fungicide application. A DSV of ≥ 18 indicates the threshold for late blight risk and triggers preventative fungicide application. Red text in table below indicates threshold has been met/surpassed. NA indicates that information is not available. Blitecast and P-Day values for actual potato field weather from Grand Marsh, Hancock, Plover, and Antigo are now posted at the UW Veg Path website at the tab "P-Days and Severity Values." http://www.plantpath.wisc.edu/wivegdis/contents_pages/pday_sevval_2015.html

| Location | Planting | 50% | P-Day | Disease | Date of | Increase |
|----------|------------|-----------|------------|----------|------------|----------|
| | Date | Emergence | Cumulative | Severity | DSV | in DSV |
| | | | | Value | Generation | from |
| | | | | | | 6/10 |
| Antigo | Early 4/25 | 5/25 | 79 | 14 | 6/12 | 7 |
| | Mid 5/5 | 6/1 | 79 | 14 | 6/12 | 7 |
| | Late 5/15 | NA | NA | NA | NA | NA |
| Grand | Early 4/5 | 5/10 | 212 | 27 | 6/12 | 4 |
| Marsh | Mid 4/15 | 5/15 | 202 | 26 | 6/12 | 4 |
| | Late 5/1 | NA | 168 | 24 | 6/12 | 4 |
| Hancock | Early 4/10 | 5/15 | 201 | 24 | 6/12 | 3 |
| | Mid 4/20 | 5/18 | 176 | 21 | 6/12 | 3 |
| | Late 5/5 | NA | 142 | 16 | 6/12 | 3 |
| Plover | Early 4/15 | 5/15 | 202 | 32 | 6/12 | 7 |
| | Mid 4/25 | 5/22 | 162 | 29 | 6/12 | 7 |
| | Late 5/10 | NA | 100 | 13 | 6/12 | 7 |

Further details on registered fungicides for WI vegetables can be found in the Univ. of WI Commercial Vegetable Production in WI Guide A3422,

http://learningstore.uwex.edu/assets/pdfs/A3422.PDF. Disease indicator/forecast tools provide

information based on pathogen ecology to help make management decisions. No tool replaces field scouting and disease observations.

<u>Potato Early Blight Preventive Management</u>: P-Days have not yet reached threshold of 300 in any locations of Wisconsin. Likely this threshold will be met within the next 10 days or so.

<u>Late Blight Preventive Management:</u> The DSV 18 threshold has been met/surpassed for early and mid-planted/emerged potatoes in the Grand Marsh, Hancock, and Plover potato production areas. The threshold has also been met for late-planted/emerged potatoes in Grand Marsh. This threshold indicates that environmental conditions have been met to promote late blight disease activity. At 18 DSVs, preventive applications of effective late blight fungicides is recommended. No late blight detections have been made in WI at this time on tomato or potato.

Considerations for fungicide programs to manage late blight: There is not one recommended fungicide program for all late blight susceptible potato fields in Wisconsin. Fungicide selections may vary based on type of inoculum introduction, proximity to infected fields, crop stage, late blight strain, and other diseases that may be in need of management. This article provides general guidance to assist in development of your fungicide program. Please see UWEX Veg Crop Updates article on fungicide selections from June 5 at link below. http://www.plantpath.wisc.edu/wivegdis/pdf/2015/June%205,%202015.pdf

Listing of 2015 WI potato late blight fungicides:

http://www.plantpath.wisc.edu/wivegdis/pdf/2015/Potato%20Late%20Blight%20Fungicides%202015.pdf

The 2015 A3422 Commercial Vegetable Production in Wisconsin guide is available for purchase through the UW Extension Learning Store website:

http://learningstore.uwex.edu/Commercial-Vegetable-Production-in-Wisconsin2015-P540.aspx

A pdf of the document can be downloaded or is available at the following direct link:

http://learningstore.uwex.edu/assets/pdfs/A3422.PDF



Late blight updates: Nationally, in the past week, there was one new diagnosis of late blight on potato from Pasquotank County North Carolina reported to www.usablight.org. So far in 2015, there have been confirmations of late blight (US-23) in FL, CA (US-11), and TX (not reported on usablight.org/strain not yet identified), and now NC (not yet determined strain