

1996 Plant Back Restrictions for a Potato Crop Following Application of a Registered Field Corn or Soybean Herbicide

B. A. Michaelis, L.K. Binning and R.L. Hughes
Department of Horticulture
University of Wisconsin

The following list is intended to be used as a guide in providing follow crop information for potatoes after the application of corn and soybean herbicides. ***Because of various environmental and agronomic factors, all risks involving herbicide carryover cannot be absolutely eliminated by following the recommendations listed here.*** When doubt exists regarding carryover, it is a good idea to conduct a field bioassay the season before planting the follow crop. A successful field bioassay involves growing to maturity a test strip of the crop crossing the entire field, including knolls and low areas. Some of the information summarized here is based on 1995 labels and may no longer be valid. Labels change, therefore have a current label in your possession and always read and follow the directions it contains. If questions still exist, contact the manufacturer for clarification.

Herbicides listed in the table may or may not be labeled for use on field corn or soybeans in Wisconsin.

Potatoes following Field Corn and Soybeans ROTATIONAL CROP RESTRICTIONS - 1996					
Pesticide	Company	Class	Corn	Sybn	Time Period
AAtrex 4L	Ciba	H	✓		2 growing seasons
AAtrex Nine-O	Ciba	H	✓		2 growing seasons
Accent	Du Pont	H	✓		10-18 months
Assure II	Du Pont	H		✓	120 days
Banvel	Sandoz	H	✓		Following treated crops normal harvest
Basagran	BASF	H	✓	✓	0 days
Basis	Du Pont	H	✓		4 months
Battalion	Monsanto	H	✓		2 growing seasons
Beacon	Ciba	H	✓		18 months
Bicep	Ciba	H	✓		2 growing seasons
Bicep II	Ciba	H	✓		2 growing seasons
Bicep Lite	Ciba	H	✓		2 growing seasons
Bladex 4L	Du Pont	H	✓		Fall or spring following application
Bladex 90DF	Du Pont	H	✓		Fall or spring following application
Blazer	BASF	H		✓	18 months
Broadstrike + Dual	DowElanco	H	✓	✓	12 months
Broadstrike Plus Corn PRE/PPI	DowElanco	H	✓		12 months
Broadstrike Plus Trelan	DowElanco	H		✓	12 months
Bronco	Monsanto	H	✓	✓	Following treated crops normal harvest
Buctril	Rhone-Poulenc	H	✓		1 growing season
Bugle	AgrEvo	H		✓	30 days
Bullet	Monsanto	H	✓		12 months + successful bioassay
Butyrac 175	Rhone-Poulenc	H		✓	1 growing season
Butyrac 200	Rhone-Poulenc	H		✓	1 growing season
Canopy	Du Pont	H		✓	18 months + successful field bioassay
Clarity	Sandoz	H	✓		1 growing season through normal harvest
Classic	Du Pont	H		✓	9 months + successful field bioassay
Cobra	Valent	H		✓	No restrictions

Potatoes following Field Corn and Soybeans
ROTATIONAL CROP RESTRICTIONS - 1996

Pesticide	Company	Class	Corn	Sybn	Time Period
Command 4EC	FMC	H		✓	9 months
Commence EC	FMC	H		✓	9 months
Concert	Du Pont	H		✓	9 months + successful field bioassay
Concert SP	Du Pont	H		✓	9 months + successful field bioassay
Contour	Cyanamid	H	✓		26 months
Cropstar GB	Monsanto	H	✓	✓	Following treated crops normal harvest
Cyclone (paraquat)	ZENECA	H	✓	✓	No restrictions
Diquat	ZENECA	H		✓	No restrictions
DoublePlay	ZENECA	H	✓		2 years
Dual (all formulations)	Ciba	H	✓	✓	Registered
Eradicane 25G	ZENECA	H	✓		0 days
Eradicane 6.7-E	ZENECA	H	✓		0 days
Esterone 99 Concentrate	Rhone-Poulenc	H	✓	✓	1 growing season
Evik 80W	Ciba	H	✓		1 growing season
Exceed	Ciba	H	✓		300 days
Extrazine II 4L	Du Pont	H	✓		18 months
Extrazine II DF	Du Pont	H	✓		18 months
Flexstar	ZENECA	H		✓	18 months
Formula 40	Rhone -Poulenc	H	✓	✓	1 growing season
Freedom	Monsanto	H		✓	Following treated crops normal harvest
Frontier	Sandoz	H	✓	✓	1 growing season
Fusilade DX	ZENECA	H		✓	0 days
Fusion	ZENECA	H		✓	No restrictions
Galaxy	BASF	H		✓	18 months
Goal 1.6E	Rohm and Haas	H	✓		60 days
Gramoxone Extra	ZENECA	H	✓	✓	No restrictions
Guardsman	Sandoz	H	✓		2 growing seasons
Harness	Monsanto	H	✓		2 growing seasons
Harness Xtra	Monsanto	H	✓		2 growing seasons
Karmex DF	Du Pont	H	✓		2 years following application
Laddok S-12	BASF	H	✓		Following year
Landmaster BW (Glyp + 2,4-D)	Monsanto	H	✓		1 growing season
Lariat (Lasso + Atrazine)	Monsanto	H	✓		12 months + successful bioassay
Lasso	Monsanto	H	✓	✓	Following treated crops normal harvest
Lasso II	Monsanto	H	✓	✓	Following treated crops normal harvest
Lexone DF	Du Pont	H	✓	✓	4 - 10 months
Lexone SP	Du Pont	H	✓	✓	4 - 10 months
Lorox DF	Du Pont	H	✓	✓	4 months
Marksman	Sandoz	H	✓		2 growing seasons
Micro-Tech	Monsanto	H	✓	✓	Following treated crops normal harvest
New Lorox Plus	Du Pont	H		✓	10 months + successful field bioassay
No-Sol 400 (2,4-D)	Rhone-Poulenc	H	✓	✓	1 growing season
Option II	AgrEvo	H		✓	30 days
Partner WDG	Monsanto	H	✓	✓	Following treated crops normal harvest
Passport	Cyanamid	H		✓	26 months
Pentagon DG	Cyanamid	H	✓	✓	Following year
Permit	Monsanto	H	✓		2 growing seasons
Pinnacle	Du Pont	H		✓	45 days
Poast	BASF	H		✓	Registered
Poast Plus	BASF	H		✓	No restrictions
Prestige	Cyanamid	H		✓	No restrictions
Princep 4L	Ciba	H	✓		2 growing seasons
Princep Caliber 90	Ciba	H	✓		2 growing seasons

Potatoes following Field Corn and Soybeans
ROTATIONAL CROP RESTRICTIONS - 1996

Pesticide	Company	Class	Corn	Sybn	Time Period
Prowl 3.3 EC	Cyanamid	H	✓	✓	Following year
Pursuit 2ASU	Cyanamid	H		✓	26 months
Pursuit DG	Cyanamid	H	✓	✓	26 months
Pursuit Plus	Cyanamid	H	✓	✓	26 months
Princep Caliber 90	Ciba	H	✓		2 growing seasons
Prowl 3.3 EC	Cyanamid	H	✓	✓	Following year
Pursuit 2ASU	Cyanamid	H		✓	26 months
Pursuit DG	Cyanamid	H	✓	✓	26 months
Pursuit Plus	Cyanamid	H	✓	✓	26 months
Ranger	Monsanto	H	✓		Registered
Reflex 2LC	ZENECA	H		✓	18 months
Reliance STS	Du Pont	H		✓	30 months
Resolve SG	Cyanamid	H	✓		26 months
Resource	Valent	H	✓	✓	No restrictions
Roundup	Monsanto	H	✓	✓	Registered
Roundup D-PAK	Monsanto	H		✓	No restrictions
Roundup RT Shuttle	Monsanto	H		✓	No restrictions
Salute 4EC	Miles	H		✓	4 months
Scepter	Cyanamid	H		✓	26 months
Scepter 70 DG	Cyanamid	H		✓	26 months
Scepter O.T.	Cyanamid	H		✓	26 months
Scorpion III	DowElanco	H	✓		18 months
Select 2EC	Valent	H		✓	No restrictions
Sencor 4F and DF	Miles	H	✓	✓	4 months
Sonalan 10G	DowElanco	H		✓	1 growing season
Sonalan HFP	DowElanco	H		✓	1 growing season
Squadron	Cyanamid	H		✓	26 months
Starfire	ZENECA	H		✓	No restrictions
Stellar	Valent	H		✓	No restrictions
Stinger	DowElanco	H	✓		18 months
Storm	BASF	H		✓	18 months
Surpass	ZENECA	H	✓		2 growing seasons
Surpass 100	ZENECA	H	✓		2 growing seasons
Sutan+	ZENECA	H	✓		0 days
Synchrony STS	Du Pont	H		✓	30 months
TopNotch	ZENECA	H	✓		2 years
Tornado	ZENECA	H		✓	18 months
Tough	Sandoz	H	✓		30 days
Treflan (all formulations)	DowElanco	H		✓	Registered
Tri-4 EC	Cyanamid	H		✓	Following year
Tri-4 HF	Cyanamid	H		✓	Following year
Tri-Scept	Cyanamid	H		✓	26 months
Turbo 8EC	Miles	H		✓	8 months
Weedar 64	Rhone-Poulenc	H	✓	✓	1 growing season
Weedone 638	Rhone-Poulenc	H	✓	✓	1 growing season
Weedone LV4	Rhone-Poulenc	H	✓	✓	1 growing season
Weedone LV6	Rhone-Poulenc	H	✓	✓	1 growing season
Zorial Rapid 80	Sandoz	H		✓	16 months